Planning Division (801) 569-5060 Engineering Department (801) 569-5070 Building & Safety Division (801) 569-5050 Fire Marshal (801) 260-7300

CONDOMINIUM SITE PLAN INFORMATION

GENERAL

The purpose of the attached documents is to provide information necessary to plan for, apply for and submit the necessary information to obtain approval for a Condominium Site Plan in the City of West Jordan.

By providing the required information it will enable the timely completion of your project. Not providing the necessary information will require the return of the application and submitted documents to you and will unnecessarily delay progress and final approval.

This document is meant to act as a guide for individual projects and may require additional information be provided, depending upon the nature of the project.

CONTENTS

The following documents are provided to help you through the process, from application to approval.

City of West Jordan Application Property Owner Affidavit Condominium Site Plan Process Condominium Site Plan Checklist

WHAT IS A COMPLETE APPLICATION

A complete application will include all of the documents listed above, including items listed in the checklists. Partial submittals will not be accepted.

SUBMITTAL MEETING

A submittal meeting is *required* to allow staff to check your application for completeness. Please contact the Planning Office at 801 569-5060 to schedule your submittal meeting.

GETTING HELP

Once your application has been submitted, a Project Team will be assigned to the project. The Planner is your point of contact and you can contact them for project status inquires or the Project Team for information about their various specialties.



Development Services Application 8000 South Redwood Road, 2nd Floor, South

801-569-5060

WJPlanning@westjordan.utah.gov

Property:					
Sidwell/Parcel # from S	Sidwell/Parcel # from SL Cnty:				
Approximate Street Add	dress:				
Project Name:					
Project Location:					
,					
Type of Application:	☐ Concept	☐ Preliminary	☐ Fina	al	
□ Agreement □ Conditional Use Permit □ Design Review Committee □ Development Plan □ General Land Use Amendment □ Other:	☐ Subdivision Ma ☐ Subdivision Mir ☐ Subdivision Am	☐ Site Plan Amended☐ Subdivision Major☐ Subdivision Minor☐ Subdivision Amended		Jse Permit e mmunity	
Applicant:					
Address: City:		State:		Zin:	
		Cell:			
F					
Consultant:					
Address:					
- "					
** Property Owner(s):					
Name:					
Address: City:		State:		Zin:	
DI					
Email:					
Name:					
Address:					
City:				Zip:	
Phone: Email:		Cell:			
LIIIaII					

^{**} Applicant must identify as a "Property Owner", all holders of any legal title to the Property; if necessary, attach additional page(s) to this Application to identify additional Property Owners.

By signing below, the Applicant hereby represents, and affirms the following:

- 1. Definitions.
 - a. "Application": Application includes (i) this Application form, (ii) the Property Owner(s) Affidavit, and (iii) all information (whether written or verbal) provided by the Applicant, by the Consultant, by the Property Owner(s), or by any other person or entity engaged by the Applicant or the Property Owner(s) in furtherance of the Application ("Supporting Parties").
 - b. "Property Owner(s)": Holders of any legal title to the Property.
- 2. <u>Information is True and Correct</u>. The information described on this Application form and contained in the Property Owner's Affidavit, is true and correct. The Applicant will use its best efforts to ensure all contents of the Application are accurate and current.
- 3. <u>Property Owner(s) Consent to this Application</u>. All Property Owner(s) (i) have reviewed and expressly approve of the contents of this Application form, and (ii) consent to the Applicant pursuing approval of the Application.
- 4. <u>City's Right to Contact Property Owner(s)</u>. The City has the right to contact the Property Owner(s) directly, in writing or through other means, to verify any information contained in the Application.
- 5. <u>Contact with Property Owner(s) is not Interference</u>. Contact by the City as outlined in "4." above is and shall not be considered interference with the Applicant's business dealings.
- 6. Incorrect or Untrue Information Voids this Application. If any information provided as part of the Application is untrue or incorrect, at the option of the City (i) this Application shall be considered void *ab initio*, (ii) the City shall have no obligation to process the Application, (iii) any commitments allegedly made by the City or flowing from the Application, including also the alleged grant of any development rights by the City, shall be considered void *ab initio* and unenforceable, and (iv) the Applicant shall indemnify and hold the City harmless for any costs or claims resulting from false or incorrect representations (A) of or from the Applicant, and/or (B) of or from the Property Owner(s), the Consultant, and/or the Supporting Parties of which the Applicant has or had knowledge.
- 7. Notice to the City of a Changed Event. The Applicant has an affirmative duty to (i) notify the City in writing of a Changed Event, (ii) fully inform the City of the nature and details of a Changed Event, and (iii) provide such notice and information within two (2) business days of a Changed Event. A Changed Event is any action or occurrence, (i) that occurs subsequent to the date the Applicant executes this Application form, and (ii) which alters the legal relationship of the Applicant and the Property Owner(s) to an extent that either (A) the Applicant no longer has authorization from the Property Owner(s) to pursue the Application, or (B) results in any representation or information in this Application or the Property Owner's Affidavit to be, in whole or in part, untrue, incorrect, or inaccurate.

Applicant Signature:		Date:
(Complet	d Notary Block for Applicant's signature must be attach	ed to this Application form)

Privacy Notice:

The personal data being collected is included in a public record as defined under Utah Code 63G-2-301 and may be available to the public as provided in Utah Code 63G-2-201. Prior to making a record available to the public, the City of West Jordan redacts private, protected, or controlled information as defined in Utah Code 63G-2-302, 304, and 305. For more information, please contact the City's Data Privacy Officer, Tangee Sloan – tangee.sloan@westjordan.utah.gov

Notary Block for Applicant's Signature

STATE OF)	
∴SS.	
County of)	
-	_, before the undersigned notary public in and for the [name of person], known or
	[position of responsibility] of
	e of company or entity], and the person who executed
the foregoing instrument and acknowledged to me that	
IN WITNESS WHEREOF, I have hereunto	set my hand and seal the day and year first above
written.	
Nota	ary Public

PROPERTY OWNER AFFIDAVIT

STATE OF }		
STATE OF } ss COUNTY OF }		
I,follows:	, being duly sworn, by my s	signature represent, affirm and attest as
Services Application (* any other Property O provided by the Applic	cation includes (i) the document 'Application Form'), (ii) this Prowner Affidavit(s), and (iii) all cant, by the Consultant, by the I he Applicant or the Property O	t entitled West Jordan City Development coperty Owner Affidavit ("Affidavit") and information (whether written or verball Property Owner(s), or by any other persor wner(s) in furtherance of the Application
b. "Applicant": The indi	vidual and/or entity named as su	ach on the Application Form.
c. "Property Owner": Ho	older of any legal title to the Pro	perty.
d. "Property": That parce	l identified as sidwell/parcel#_	
located at approximate	ly(approximate s	treet address)
2. <u>Property Owner</u> . To the best of my	knowledge (check one):	
☐ I am the SOLE Pro		
☐ There is/are (an) ad	-or- lditional Property Owner(s), wh	ose name(s) follow:
(includ	e additional pages with names if n	ecessary)
3. Reviewed the Application. I have:	reviewed the Application Form	dated
submitted to the West Jordan City	•	on the signature line of the Application form)
for the project entitled, "		
	(name of Project as appears on t	
which Application requests approv	al by the City of West Jordan fo	or the following:
☐ Agreement	☐ Site Plan	☐ Temporary Use Permit
☐ Conditional Use Permit	☐ Site Plan Amended	☐ Zone Change
☐ Design Review Committee	☐ Subdivision Major	☐ Planned Community
☐ Development Plan	☐ Subdivision Minor	
☐ General Land Use Amendment	☐ Subdivision Amended	
☐ Other:		

- 4. <u>Information is True and Correct</u>. The information contained in this Affidavit and the Application form, is true and correct. The Property Owner will use its best effort to ensure all contents of this Affidavit and the Application form are accurate and current.
- 5. <u>Property Owner's Consent to the Application</u>. The Property Owner (i) has reviewed and expressly approves the contents of the Application Form, and (ii) consents to the Applicant pursuing approval of the Application.
- 6. <u>City's Right to Contact Property Owner</u>. The City has the right and may contact the Property Owner directly, in writing or through other means, to verify any information contained in the Application.
- 7. <u>Contact with Property Owner is not Interference</u>. Contact by the City as outlined in "6." above is and shall not be considered interference with the Property Owner's business dealings with the Applicant.
- 8. <u>Incorrect or Untrue Information Voids the Application</u>. If any information provided as part of the Application or this Affidavit is untrue or incorrect, at the option of the City (i) the Application shall be considered void *ab initio*, (ii) the City shall have no obligation to process the Application, (iii) any commitments allegedly made by the City or flowing from the Application, including also the alleged grant of any development rights by the City, shall be considered void *ab initio* and unenforceable, and (iv) the Property Owner shall indemnify and hold the City harmless for any costs or claims from the Property Owner resulting from false or incorrect representations (A) of or from the Property Owner, and/or (B) resulting from the Application being voided.
- 8. Notice to the City of a Changed Event. The Property Owner has an affirmative duty to (i) notify the City in writing of a Changed Event, (ii) fully inform the City of the nature and details of a Changed Event, and (iii) provide such notice and information within two (2) business days of a Changed Event. A Changed Event is any action or occurrence, (i) that occurs subsequent to the date the Applicant executed the Application Form, and (ii) which alters the legal relationship of the Applicant and the Property Owner to an extent that either (A) the Applicant no longer has authorization from the Property Owner to pursue the Application in whole or in part, or (B) results in any representation or information of which the Property Owner is aware or becomes aware in the Application or this Affidavit to be, in whole or in part, untrue, incorrect, or inaccurate.

My signature below attests that I consent to the statements and information provided in the Application and attached plans and exhibits for the requested process(s) as checked above, and that all information presented by me is true and correct to the best of my knowledge.

(Property Owner Signature)	(Printed Name)	
Subscribed and sworn to me this day of	, 20	
	(Notary)	
My commission expires:	Residing in(County)	(State)



CONDOMINIUM SUBDIVISION AND SITE PLAN PROCESS

GENERAL

The purpose of the condominium subdivision and site plan process is to obtain Planning Commission approval. The subdivision, construction drawings and procedures must comply with the provisions of the City of West Jordan Municipal Code, the Design and Construction Standards and Utah Code. No regulatory permits will be issued, no clearing, grubbing, grading, drainage work, parking lot construction or other site improvement will be allowed until final approval and proper permits are obtained. Processing times will vary based upon availability of city staff time and the completeness of the applicant's submitted plans. Checklists for a condominium subdivision and site plan are attached and are located on the City's website at www.westjordan.utah.gov.

APPLICANT'S INITIAL CONTACT WITH CITY STAFF

Your initial contact with city staff will take place with the Planning Department either by telephone or by meeting at the community development counter. If you are not familiar with city processes and requirements city staff can briefly discuss the processes and requirements with you.

PRE-APPLICATION MEETING

The applicant can contact the community development department staff to schedule a pre-application meeting. Pre-applications meetings are held weekly.

The purposes of the pre-application conference are:

- 1. To better facilitate the development process by establishing initial contacts between city staff and the applicant.
- 2. Provide an opportunity for the applicant to present the project to city staff and receive comments from them.
- 3. Provide an opportunity for the applicant to ask questions regarding city requirements in order to eliminate unnecessary delays to the proposed project

If the applicant is familiar with the city's processes and requirements, they may skip this step and go directly to preparation of the preliminary plat.

PRELIMINARY SUBDIVISION AND SITE PLAN

SUBMIT PRELIMINARY SUBDIVISION AND SITE PLAN APPLICATION

The preliminary condominium subdivision and site plan process can be initiated by submitting the application, along with items listed on the preliminary condominium subdivision and site plan checklist and the following. The Application will be not be accepted until a determination has been made that the application is complete.

COVENANTS, CONDITIONS, AND RESTRICTIONS HOMEOWNERS ASSOCIATION.

STAFF REVIEW OF PRELIMINARY SUBDIVISION AND SITE PLAN

Review times are based upon the plans submitted and number of projects in for review, the first review may take approximately 4 weeks. Subsequent reviews, if needed, will be completed in approximately 2 weeks. After staff have completed their review, the applicant will be contacted to schedule a redline comment meeting.

PLANNING COMMISSION REVIEW AND ACTION

Once the development team has completed their review and determined it is complete, the City Planner will schedule the preliminary subdivision and site plan for a Planning Commission meeting for their review and action. The following items will be completed as part of this task:

- A. <u>Scheduling and Public Notices</u> The City Planner will schedule the preliminary subdivision and site plan for review by the Planning Commission and arrange for publication of notice of a public hearing.
- B. <u>Review and Action</u> –For a preliminary subdivision and site plan to be considered by the Planning Commission, the applicant must attend the Planning Commission meeting to explain the proposal and answer questions. Once all questions have been answered to the satisfaction of the Planning Commission, the Planning Commission will take action in one of the following forms:
 - 1. Approval of the preliminary subdivision
 - 2. Approval with modifications or conditions
 - 3. Postpone were further information or input is necessary
 - 4. Deny the preliminary subdivision

Notice of the action will be sent to the applicant regarding the Planning Commission's action.

EXPIRATION OF PRELIMINARY SUBDIVISION AND SITE PLAN APPROVAL

An approved preliminary subdivision and site plan subdivision is valid for one year following the date of approval. The one year period may be extended by the zoning administrator for up to an additional six (6) months period for good cause shown by the applicant as a written petition prior to expiration of the original time period. In cases where the subdivision and site plan is to be developed in phases, the approval will remain valid, provided that a final subdivision on at least one phase is approved, recorded and developed within 12 months of the date of preliminary approval and provided that each successive phase is approved, recorded and developed within 12 months of the previous phase's recording date.

FINAL SUBDIVISION AND SITE PLAN

SUBMIT FINAL SUBDIVISION AND SITE PLAN APPLICATION

The condominium final subdivision and site plan process can be initiated by submitting the application along with items listed on the final condominium subdivision and site plan checklist. The Application will not be accepted until a determination has been made that the application is complete.

STAFF REVIEW OF THE FINAL SUBDIVISION AND SITE PLAN

Review times are based upon the plans submitted and number of projects in for review, the first review may take approximately 4 weeks. Subsequent reviews, if needed, will be completed in approximately 2 weeks. After staff have completed their review, the applicant will be contacted to schedule a redline comment meeting.

STAFF ACTION ON FINAL SUBDIVISION AND SITE PLAN

City staff will notify the applicant that the final subdivision and site plan are approved and the final subdivision in mylar form can be created.

PREPARATION AND SUBMITTAL OF FINAL SUBDIVISION

The applicant will prepare the final subdivision mylar and obtain the signatures of the following companies.

- a. Natural gas provider
- b. Salt Lake County Board of Health
- c. Cable provider
- d. Electric power provider
- e. Signatures of property owners and beneficiaries with notary acknowledgement

f. Others as required

After obtaining the required signatures submit the original mylar, along with the following:

- a. Payment of Impact Fees.
- b. Public Improvement Construction and Assurance Agreement (Bond) or Restoration and Revegetation Bond
- c. Current title report no older than 30 days.

FINAL SUBDIVISION CITY SIGNATURES

City staff will be responsible for obtaining the required city department signatures.

- a. Planning Commission
- b. City Engineering
- c. City Attorney
- d. Mayor and City Recorder

FINAL SUBDIVISION RECORDATION

An appointment is made between city staff and developer to meet at the Salt Lake County Recorders Office to record the subdivision. The applicant is responsible for providing Salt Lake County Recorder's requirements for recordation, including approval to record and recording fees. The City of West Jordan is only there to provide a continuous chain of custody.

EXPIRATION OF FINAL SUBDIVISION AND SITE PLAN APPROVAL

An approved, unrecorded final subdivision and site plan are valid for two (2) years. The one year period may be extended by the zoning administrator for up to an additional six (6) months period for good cause shown by the applicant as a written petition prior to expiration of the original time period.

PRECONSTRUCTION MEETING

After all code requirements are met, the community development department will schedule a preconstruction meeting with the applicant, his contractor and city staff. During the meeting a set of approved construction drawings will be given to the applicant, which must be on site at all times during the construction of the project. At this time a land disturbance permit will be granted, and the Building Permit Requirements Form will be signed.

BUILDING PERMIT ISSUANCE

A building permit may be issued after the final subdivision has been recorded, a preconstruction held, erosion control measure has been installed, inspected and approved, applicable impact fees paid and fire department requirements has been met.

WARRANTY PERIOD FOR PUBLIC FACILITIES

After final inspections of the public improvements are completed, a 12-month warranty period begins. The applicant is required to meet all requirements specified in the City of West Jordan Municipal Code.

FINAL INSPECTION OF PUBLIC FACILITIES

After the 12-month warranty period, a final inspection of the improvements will take place in accordance with the City's City of West Jordan Municipal Code.

DEVELOPMENT AGREEMENT (if applicable)

The Development Agreement is a formal written agreement between the city and the applicant, which details the responsibilities of both parties. The responsibilities detailed in the agreement for the city are those that are provided for in the Municipal Code and are reiterated in the Agreement. In addition to the standard items the city agrees to provide, any project specific items the city agrees to do are outlined in the 'Special Provisions' section of the agreement. The agreement also details items the

applicant will provide along with any special requirements, which are also outlined in the 'Special Provisions' section. The Development Agreement is prepared by the city attorney's office, then distributed and reviewed by other city departments who provide input into the Agreement. The Agreement is then reviewed as part of the project by the Planning Commission and approved, rejected, or returned for changes. A Development Agreement for a project will require City Council approval.

REIMBURSEMENT AGREEMENT (if applicable)

If the Applicant feels that certain facilities being constructed may be subject to reimbursement, the applicant shall prepare a letter addressed to the City Engineer prior to Final Approval of the project detailing the reasons. Facilities included in City master plans and impact fee studies may be subject to reimbursement dependent upon the findings of the City Engineer and Community Development Director who will respond in writing to the Applicant. If the City Engineer and Community Development Director agree that such facilities may be subject to reimbursement, the City Attorney will prepare an Agreement. The Reimbursement Agreement requires approval by the City Council.



CONDOMINIUM PRELIMINARY SITE PLAN SUBMITTAL CHECKLIST

ROJEC	1			
APPLICA	ANT			DATE
SENER	AL INI	FORMATION		
Your	City	Description		
Check □	Check	A11:41:		
		Application Owner Affidavit		
		Copy of all plans in PDF Format. Fees - Calculated and due after acceptance	of application	
	-	rees - Calculated and due after acceptance	or application	
,			• • •, •11	uiva camanata and distin
applica	tions for	concurrent reviews of a site plan and subdive each project and NOT combined	· •	
applica PRELIN	tions for MINAR	each project and NOT combined Y SITE PLAN DRAWINGS	· •	·
applica PRELIN Your	MINAR City	each project and NOT combined	· •	·
PRELIN Your Check	MINAR City Check	Y SITE PLAN DRAWINGS Description		
PRELIN Your Check Drawin	MINAR City Check ags must	each project and NOT combined Y SITE PLAN DRAWINGS		
PRELIM Your Check Drawin Cover	MINAR City Check ugs must	Y SITE PLAN DRAWINGS Description		
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check gs must Sheet	each project and NOT combined Y SITE PLAN DRAWINGS Description have separate sheets for each plan and a	assembled in t	he following order
PRELIM Your Check Drawin Cover Site Pla	MINAR City Check gs must Sheet	Y SITE PLAN DRAWINGS Description have separate sheets for each plan and a Workmanship - Workmanship is to be neat,	assembled in t	he following order dable
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check gs must Sheet	Y SITE PLAN DRAWINGS Description have separate sheets for each plan and a Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su	assembled in t	he following order dable
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Y SITE PLAN DRAWINGS Description have separate sheets for each plan and of the workmanship - Workmanship is to be neat, Location Map – include mane of adjacent suland use and buildings	assembled in t	he following order dable
PRELIM Your Check Drawin Cover Site Pla	MINAR City Check gs must Sheet	Y SITE PLAN DRAWINGS Description have separate sheets for each plan and a Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su	assembled in t	he following order dable
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su land use and buildings A table, which shows:	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Y SITE PLAN DRAWINGS Description have separate sheets for each plan and of the workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su land use and buildings A table, which shows: Item	assembled in t	he following order dable
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Y SITE PLAN DRAWINGS Description have separate sheets for each plan and of the separate sheets for each plan and of t	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map - include mane of adjacent su land use and buildings A table, which shows: Item Total gross acreage (acres) Street right of ways (sq.ft.)	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su land use and buildings A table, which shows: Item Total gross acreage (acres) Street right of ways (sq.ft.) Building footprint (sq.ft.)	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map - include mane of adjacent su land use and buildings A table, which shows: Item Total gross acreage (acres) Street right of ways (sq.ft.) Building footprint (sq.ft.) Total building floor area (sq.ft.)	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su land use and buildings A table, which shows: Item Total gross acreage (acres) Street right of ways (sq.ft.) Building footprint (sq.ft.) Total building floor area (sq.ft.) Landscaping (sq.ft.)	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su land use and buildings A table, which shows: Item Total gross acreage (acres) Street right of ways (sq.ft.) Building floor area (sq.ft.) Landscaping (sq.ft.) Parking lot Landscaping (% of lot)	legible and read	he following order dable lopments, property owne
PRELIM Your Check Drawin Cover S Site Pla	MINAR City Check ags must Sheet	Workmanship - Workmanship is to be neat, Location Map – include mane of adjacent su land use and buildings A table, which shows: Item Total gross acreage (acres) Street right of ways (sq.ft.) Building footprint (sq.ft.) Total building floor area (sq.ft.) Landscaping (sq.ft.)	legible and read	he following order dable lopments, property owne

CONDOMINIUM PRELIMINARY SITE PLAN

	Existing lot lines, dimensions and area
	Boundaries showing the proper bearing and dimensions of the site, properly tied to
 	public survey monuments. Include existing lot lines, dimensions and areas
	Surrounding Property Information - Location of entire development in relation to
	surrounding neighborhoods and developments include names of adjacent subdivisions
	and developments and adjacent land uses and buildings.
	Adjacent Property Owner's Names and addresses
	Phasing Information –numbered and defined, with timetable for development.
	Fences / Walls existing and proposed (showing elevations/profiles)
	Signage existing and proposed location, types, size and profile
	Screening and Buffering – Indicate all screening and buffering.
	Refuse Areas – collection area locations and enclosures
	Parking Plan – general parking, access, loading and profile
	Lighting plan for all interior areas and immediately adjoining streets
	Off-Street Parking and Loading Areas (if permitted) – Show all off-street parking and
 	loadings areas.
	Access Points – Vehicular and pedestrian access points for on- and off-site, access to
	existing streets
	Existing/Proposed easements, walkways, streets, right-of-way(s); including width,
	names/numbers, proposed dedication areas; and existing/proposed curb, gutter and
 ļ	sidewalk.
	Existing waterways – Including irrigation ditches, significant vegetation, and/or
 ļ <u>.</u>	natural drainage courses; i.e. creek, washes.
	Existing Flood plain boundary - Wetlands, high water table areas, etc.
	Existing/Proposed utilities including: Fire hydrants, culinary water, secondary water,
 ļ <u>-</u>	sewer, storm drain, and utility boxes/telephone poles.
	Location of any overhead utilities, indicating line size and voltage
	Location of bus stops
	Lots, blocks and parcels proposed for public use dedication
	Right-of-way lines and monuments
	Lot numbering
	All lots to have PUE easements at least 7 foot wide
	Street names and numbering
	Streetlight locations
	Fire hydrants locations
	Fences and notes
 	nage Plan
	Project Name
	North arrow, scale, vicinity map, legend, revision block and date.
	Existing easements clearly labeled and identified
	Location of man-made features (irrigation facilities, bridges, railroad tracks,
 	buildings).
	Existing and proposed curb, gutter, and sidewalk
	Existing contour lines at 2-foot intervals with spot elevations
	Show the existing FEMA 100 year flood plain zone.
	Show existing channels, canals, ditches, springs, wells, wetlands, culverts, and ponds.
	Show existing storm drains, manholes, inlet boxes, combination boxes, and cleanouts.

CONDOMINIUM PRELIMINARY SITE PLAN

		Indicate on the plans the proposed project connection to the existing storm water
		system. Include project discharge amount. (0.2 cubic feet per second per acre max.)
		Indicate on the plans the location of the proposed detention facility.
		Show existing sanitary sewer system, culinary water system, subsurface drains, gas lines, power lines, cable lines, and phone lines.
		Indicate on the plans the location of the proposed project connection to the existing
		City water system. Include project fire flow, fire storage and demand calculations.
		Indicate on the plans the location of the proposed project connection to the existing
		City sanitary system. Include project peak discharge amount.
Landsc	aping Pe	rcentage
		Outline the total area and percentage of site that will be landscaped per City of West
		Jordan Municipal Code Title 13.
Landsc	ape Wor	ksheet of Summary Data
		Completed Water Allowance Worksheet available at www.westjordan.utah.gov
Overlay	Zones	
		Hillside District Overlay Zone – If the project is within the Hillside District Overlay
		Zone see requirements at www.westjordan.utah.gov
		Well Protection Overlay Zone – If the project is within the Well Protection Zone see
		requirements at <u>www.</u> westjordan <u>.utah.gov</u>
		Airport Overlay Zone – If the project is within the Airport Zone see requirements at
		www.westjordan.utah.gov
Buildin	g Inforn	nation
		Building Information – general building footprint, number of stories, and type of
		construction.
		Location and elevation of all existing/proposed buildings on the site, showing all sides
		of each structure. Inclusive of the dumpsters, garages, all accessory structures and
		sheds.
Architec	ctural Rei	nderings Building Elevations
		Accurate front, rear and side elevations of all buildings and accessory structures,
		drawn to scale and showing dimensions
		Specification of all exterior surfacing materials and colors shown on a color enhanced
		PDF. Show shingle color and type, exterior building color type.
		Outdoor lighting, furnishings and architectural accents specification
		Building elevations, footprint, occupancy, number of stories, construction type
		Dumpsters, utility boxes, fences, walls
		Proposed signage location and dimension of all signage proposed to be attached to the
		building or structure.



CONDOMINIUM FINAL SITE PLAN SUBMITTAL CHECKLIST

PR	OJEC'	Γ			
APPLICANTDATE			DATE		
GF	ENER	AL INF	ORMATION		
7	Your	City	Description		
(Check	Check			
			Application		
<u> </u>			Owner Affidavit		
			Preconstruction Meeting Form		
			Electronic copy of all plans in PDF Format.		
			Fees - Calculated and due after acceptance of application		
			Title report prepared within 30 days		
			Geotechnical Report		
			Phase 1 Environmental Report		
			concurrent reviews of a site plan and subdivision, it will require separate and distinct each project and NOT combined		
CC	DE A	NALYS	SIS		
	Your Check	City Check	Description		
			Specify building use and occupancy type(s) per International Building Code		
ļ			Chapter 3		
			Specify type of construction per IBC Chapter 6		
			Show actual building area and heights/stories, and maximum building area and heights/stories per IBC Table 5. When applicable detail height/story increases per IBC 504 and area increases per IBC 506 (these include frontage increase calculations and automatic fire sprinkler increase)		
1			If the Structure is an "unlimited area building", detail per IBC 507.		
			Specify the "occupancy separation design being used, non-separated occupancies per IBC 508.3 or separated occupancies per IBC 508.4		
			Show any automatic fire sprinkler requirements per IBC Section 903.2		
FI	FINAL SITE PLAN DRAWINGS				
-	Vor	City	Description		
i	Your Check	City Check	Description		
			have separate sheets for each plan and submitted in the following order		
	Cover S	~	nave separate sheets for each plan and submitted in the following order		
2		n Drawin	Y		
-			Workmanship – neat, legible and readable		
			Scale – not smaller than 100 feet to the inch		
			Project name and location in bold letter at the top of sheet		



		Township, range and section		
		A table, which shows:		
		Item	Area	
		Total gross acreage (acres)		
		Street right of ways (sq.ft.)		
		Building footprint (sq.ft.)		
		Total building floor area (sq.ft.)		
		Landscaping (sq.ft.)		
		Landscaping (% of lot)		
		Required number of parking spaces		
		Actual number of parking spaces		
		Number of bike parking stalls		
		Interior parking lot landscape (% and		
		sqft)		
	ļ			
		North arrow, top faces either north or west		
		Corner section tie		
		Boundary bearing and dimensions, tied to publi		
		Acreage, property dimensions, project perimete	r	
<u> </u>	<u> </u>	Legal description		
		Existing and proposed roads, curb, gutter and side	lewalk, park strip, street monuments	
		and edge of asphalt		
		Street names, numbers, widths, lengths, bearing	s and curve data.	
		Existing and future Right-of Way		
		Streetlight locations		
	<u> </u>	Fire hydrants locations		
		Existing and proposed fences and walls. New fer		
		Signage existing and proposed locations, types,		
		Vicinity Map – legible with major street names		
<u> </u>		Legend showing all symbols, line types, hashin	g and abbreviations	
		Date of drawing		
		Applicant name and address		
<u> </u>		Developer name and address		
		Design firm name and address		
<u> </u>		West Jordan revision blocks		
		Adjoining property lots and parcels showing ow		
		Stamped and signed by licensed designer and re		
<u> </u>		Existing easements showing type of easement a		
		Proposed public easements – provide legal desc	riptions or show location on the site	
		plan		
		Subsurface drain – protective covenants and ma		
ш		Indicate ownership and maintenance responsib	llities for detention and open space	
		areas.		
		Existing and proposed fences		
		Easements are to be clearly labeled and identified	ed with correct widths	



		Any necessary agreements with adjacent property owners regarding storm drainage, irrigation or other matters
		Outside Agencies/Entities approvals with might be affected by the project
		Any other special notes or requirements
		Drainage Easement to be a minimum of 15 foot wide
<u> </u>		Revision block and date
		Screening and buffering, if required
		Utah State Department of Transportation approval document if the site needs to gain
_	_	access to a state road.
		Refuse Areas – collection are locations and enclosures
		Parking Plan – general parking, access and loading
		Off-site parking and loading areas (if permitted)
		Access points – vehicular and pedestrian access points for on and off-site, access to
_	_	existing streets
		Lighting Plan for all parking areas and immediately adjoining streets with profile of
		fixture type
		Provide location of man-made features, irrigation, bridges, railroad tracks, buildings
		Off-site easements – provide a legal description
		Americans with Disabilities Act (ADA) Accessibility Guidelines include a
		statement which indicates ADA requirements have been met.
		Geologic Hazards including fault lines, liquefaction potential
		Location of any overhead utilities. Indicate line size and voltage
Utility	and Drain	age Plan
		Title block
		Scale at 1"= 60' or 1"= 100'
		"Call Before You Dig" symbol and telephone number
		North arrow, scale, and site plan underlay.
		Relationship of utilities to each other on plan view.
		Existing and proposed utilities – sewer, culinary water, secondary water, fire
		hydrants, storm drains, subsurface drains, gas lines, power lines, communications
		lines, cable television lines, and street lights.
		Water meter locations. A separate meter for irrigation connection to main is
		required for landscape area of 100 sq ft or more
		Streetlights are provided at ends of cul-de-sacs, all street intersections, entrance to
		any pedestrian pass-through.
		Overhead utilities must be buried. Show existing overhead utilities on this
		drawing and indicate how and where they will be buried.
		Utility Easements – Location and dimensions. Provide a 20-foot easement for one
		utility, and a 25-foot easement for two utilities.
	–	All streets are named and existing and future right-of-way width to centerline is shown.
		Existing and proposed hydrants.
<u> </u>		Show existing improvements in, and adjacent to, the project. Must clearly
_	_	distinguish "existing" and "to be constructed" improvements (Plan Sheets).
		Show water and sewer facilities and dimension from the centerline of the road or
_		property line with a mandatory 10-foot separation between culinary water and
		sewer facilities.



		Driveways, if known – sidewalk ramps locations
		Minimum fire flow required by the IFC for the proposed structures. Fire flow
		calculations at all hydrant locations.
		A note on the drawing from the design engineer verifying that the proposed
		improvements comply with the City's design and construction standards.
Overall	Drainage	Plan
		Title block
		Project title
		North arrow and scale. (1"=100' max.)
		"Call Before You Dig" symbol and telephone number
		Revisions block
		Compliance Note indicating all facilities conform to the City's Design and
_	_	Construction Standards and Master Storm Drain Plan.
		Show proposed and existing conditions for the property being developed and
		within 100-feet of the project's boundary.
		Dashed lines and labels showing existing improvements, with elevations to show
		the project's conformity with the existing conditions.
		Show proposed contours (use solid lines) and spot elevations.
		Topography - Contour lines at 2-foot intervals
		Slopes of 10-percent or greater are shown. (Hillside ordinance applies)
		Proposed contours for site, parking lot and landscaping are shown.
		Proposed sidewalks, sidewalk ramps curb and gutter with spot elevations.
		Elevations shown (top of curb, flowline and crownline) at limits of construction,
		P.C.'s, P.T.'s, and grade breaks.
		Percentage of grade and direction of flow is indicated.
		Pad and finished floor elevations for all new structures are shown.
		Finished floor elevation of all buildings adjacent to this property and spot grades
		on adjacent properties to show elevational relationships.
		All existing and "to be constructed" block walls are shown.
		Proposed and existing drainage easements, with dimensions, elevations and typical
		sections
		Shows existing or "to be dedicated" rights-of-way and easements.
		"Sight visibility easements" with dimensions
		Flood Plain and Wetland Information - Flood plain or wetland boundary locations.
		Drainage calculations – Hydraulic and hydrologic storm drainage calculations
		using a 10-year storm and a 100-year storm event with 0.2 cubic foot per
		second/acre discharge in 24 hours stamped by a registered professional engineer.
		Engineer is to use rational method and provide output from these calculations.
		(Separate report) Storm Water Facilities - Size, slope, location, and description of existing and "to
J	_	be constructed" storm drain facilities line elevations.
		Direction of storm water flows, catch basins, manholes, combination boxes, invert
_	_	and rim elevations; inlets, outlets, waterways, culverts, detention basins, orifice
		plate sizes, required riprap, required double inlet/dissipater, outlets to off-site
		facilities, and off-site drainage facilities.
		Proposed roof drains include size, type slope, and flow



		Existing culverts, streams, channels, and detention ponds with proposed changes include typical section, erosion protection, permanent structures, freeboard, and
		access.
		An overland release for storm water is provided for all sag points such that no
		structures would be flooded if the underground drain system were blocked or the
		capacity exceeded.
		Detention areas and details are shown. This is to include spillways at a 3:1
<u> </u>		maximum side slopes.
		Subdrain system – Required if project fronts canal property, the geotechnical
		report indicates groundwater within the footing zone, or the area is known for a
		high groundwater table. Subsurface drains must lower groundwater levels to 3-feet
	ļ <u>.</u>	below all basement levels. (To be maintained by Homeowner's Association)
		Existing irrigation ditches have been piped or abandoned as approved by the ditch
<u> </u>	ļ	master.
		Existing irrigation tailwater ditches or sheet flow is properly conveyed through the property.
		Erosion protection is provided for all cut and fill slopes.
		Energy dissipaters are provided on the outfall of drain lines discharging into creeks
		and earthen channels capable of slowing velocities to 3-feet per second
		Oil water separator system in place before it discharges into the city system.
		Approval from County Flood Control – If the site is adjacent to a waterway
		needing maintenance by a government agency.
		Approval from the Army Corps of Engineers – If the site is within or adjacent to
ļ	ļ	any known wetlands.
		State stream alteration Permit
 	l Grading	
		Title block
		Project title
<u> </u>		North arrow and scale. (1"=100' max.)
		"Call Before You Dig" symbol and telephone number are shown
		Revisions block
		Compliance note indicating all facilities conform to the City's Design and
<u> </u>	<u> </u>	Construction Standards.
		Proposed and existing conditions for the property being developed and within 100-
<u> </u>	ļ <u>.</u>	feet of the project's boundary.
u	_	Dashed lines and labels showing existing improvements, with elevations noted to
	ļ	show the project's conformity with the existing conditions.
		Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals
	Ļ	Slopes of 10-percent or greater are shown. (Hillside ordinance applies)
		Proposed contours for site, parking lot and landscaping are shown.
		Proposed sidewalks and sidewalk ramps with spot elevations are provided as
_	_	required.
		Proposed curb and gutter with spot elevations
		Elevations shown (top of curb, flowline and crownline) at limits of construction,
_		P.C.'s, P.T.'s, and grade breaks.
		Percentage of grade and direction of flow
<u> </u>		Pad and finished floor elevations for all new structures



		Finished floor elevation of all buildings adjacent to this property and spot grades
		on adjacent properties to show elevational relationships.
		All existing and "to be constructed" block walls are shown.
		Proposed and existing drainage easements, with dimensions, elevations and typical
		sections as needed.
		Soils report required for all public roadways
Public	Street Desi	ign Plan View
		Scale -1 " = 20' or 1" = 40'
		Street Monuments
		Street name and number
		Right of way width.
		Design benchmark.
		Property lines. Locations of easements (existing and proposed)
		Center line with stationing. Please include any horizontal curve information.
		Horizontal sight distance if road intersection is not 90 degrees or if road intersects
		a horizontal curve.
		Existing edge of asphalt spot elevations as well as centerline spot elevations. 50
		foot intervals.
		Existing curb, gutter, sidewalk and drive approaches. Provide spot elevations for
		both sides of the street.
		Profile spot elevation designations at curb return.
		Existing and proposed utilities.
		Existing and proposed street lights.
		Extend limits of drawing 100' before and after proposed improvements. Include
		driveways and any road intersection.
		Proposed storm drain system. Include pipe length, material, and size. Include
		manhole size, and rim elevation. Include any grate elevations.
		Proposed sanitary sewer system. Include pipe length, material, and size. Include
		manhole size and rim elevation.
		Proposed culinary water system. Include length, size and class of pipe as well as
		valves, tees, crosses, fire hydrants and service laterals.
		Proposed secondary water system. Include length, size, and class of pipe as well
		as valves, tees, crosses, and service laterals.
		Existing and proposed fire hydrants. Maximum spacing 500 feet.
Public	Street Desi	ign Profile View
		Scale (vertical scale 1/10 of horizontal scale).
		Elevation at left and right side of sheet.
		Existing ground profile at proposed profile grade line (center line or top back of
		curb.
		Proposed profile grade line (center line or top back of curb). Include grade
		information, slope, VPI, VPC, CPT etc. Include elevations at points of interest.
<u> </u>		Vertical sight distance. Safe stopping distance when required.
		All necessary vertical curve information including length of curve, AKA Value.
		Extend profile line 100 feet each way showing existing improvements
		Profiles of sanitary sewer system. Include length, size, type and slope of pipe.
		Include manhole size, rim and flow line elevations.



		Profiles of storm drain system. Include length, size, type and lope of pipe. Include		
		hydraulic grade line and contributing system flow. Include all rim gate and low		
		line elevations.		
		Profiles of culinary and or secondary water system if line size is 12 inches or		
		greater. Include length, size, type and slope of pipe. Include air vacuum station at		
		all high points.		
		Show conflicts between utilities. Include distance between utilities pipe edge to		
		pipe edge.		
		Engineering Department review and comments on drawings.		
		Applicant revision of proposed drawings and resubmission to Engineering		
		Department.		
		Engineering Department approval of public street plan.		
Traffic	Signs and	Striping Plan		
		Scale		
		Overall site layout complete with lot and easements lines.		
		Street layout including curb, gutter, and sidewalk.		
		Stop bars as required by MUTCD		
		Cross walks.		
		Painted messages or arrows.		
		Stop signs per most current edition of MUTCD.		
		Street signs per most current edition of MUTCD.		
		Any additional signs as warranted by the most current edition of MUTCD.		
		Traffic striping or tape for all lanes.		
		Proposed signal loops if required.		
		Proposed signal light if required.		
Traffic	Impact Ar	nalysis		
		Engineering will determine if a Traffic Impact Analysis is required and provide the		
		to the applicant the Guidelines for the Traffic Impact Study		
Site De	molition F	Plan		
		Title block		
		Project title		
		North arrow		
		Scale of drawing		
		"Call Before You Dig" symbol and telephone number are shown (plan sheets).		
		Revisions block is shown.		
		Show structures and other facilities to be removed, indicate SqFt for each structure.		
SWPPI)			
		The project fulfills all the requirements of the Land Disturbance. See Land		
	 	Disturbance Permit requirements at www.westjordan.utah.gov.		
Landscaping Plan				
		Landscape Plans prepared by a "landscape designer" as defined by the City of		
		West Jordan City Municipal Code		
		Designation of "landscape zones" (grouping plants with similar water needs)		
		The location of all proposed plants and a plant schedule specifying the quantity,		
		size common name botanical name, and spacing of all proposed plants		



		Existing and proposed landscape grading of the site indicating contours at two foot
		(2') intervals. Proposed berming shall be indicated using one foot (1') contour
ļ		intervals
<u> </u>		Location of existing buildings and structures
		The location, size, and common names of all existing mature trees and significant
		vegetation, on the site and within adjacent rights of way, indicating plants that will
<u> </u>		be retained and those that will be removed The location and dimensions of all existing and proposed buildings and structures,
	–	property lines, easements, parking lots and drives, streets and rights-of-way, signs,
		sidewalks, dumpster enclosures, fences.
		The location of all meters, lighting, fire hydrants and utility boxes in the right-of-
	_	way or on the property
		Designation of "landscape zones" (grouping plants with similar water needs)
Irrigation	/	Designation of Ministeripe Zones (Stocking Plants Will Similar Water needs)
		Irrigation Plans prepared by an "irrigation designer" as defined by the West Jordan
	_	City Municipal Code
		Location of connection to water supply
		Size of connection
		Pipe type
		Static water pressure(psi)
		Backflow prevention device type and location
		Water meter size and location
		Layout of irrigation system and a legend summarizing the type and size of all
		major system components and irrigation heads, including manufacturer's name and
		model numbers
		Flow rate in gallons per minute and design operating pressure in psi for each valve
		Precipitation rate in inches per hour for each irrigation zone
		Indicate either a pressure regulation device or pressure regulated spray heads
		Show location of rain shutoff device and how connected to controller (wire or
<u> </u>		wireless)
	ape Works	sheet of Summary Data
		Completed Landscape Area and Water Conserving Landscape Calculations
ļ		Worksheet available at www.westjordan.utah.gov
		Completed Water Allowance Worksheet available at www.westjordan.utah.gov
	,	erings Building Elevations
		Accurate front, rear and side elevations of all buildings and accessory structures,
		drawn to scale and showing dimensions
"		Specification of all exterior surfacing materials and colors shown on a color enhanced PDF. Show shingle color and type, exterior building color type.
		Outdoor lighting, furnishings and architectural accents specification
		Building elevations, footprint, occupancy, number of stories, construction type
		Dumpsters, utility boxes, fences, walls
		Proposed signage location and dimension of all signage proposed to be attached to
_		the building or structure.
Building Information		
		Building Information – general building footprint, number of stories, and type of
_	_	construction



		Location and elevation of all existing/proposed buildings on the site, showing all sides of each structure. Inclusive of the dumpsters, garages, all accessory structures and sheds.			
Adjacent Property Owners Agreements					
		~			
–		Adjacent property owners' agreements regarding storm drainage, irrigation or other			
		matters.			
Overlay	Zones				
		Hillside District Overlay Zone – If the project is within the Hillside District Overlay			
		Zone see requirements at www.westjordan.utah.gov			
		Well Protection Overlay Zone – If the project is within the Well Protection Zone see			
		requirements at www.westjordan.utah.gov			
		Airport Overlay Zone – If the project is within the Airport Zone see requirements at			
	<u> </u>	www.westjordan.utah.gov			