City of West Jordan 8000 South Redwood Road West Jordan, Utah 84088



### AMENDED SITE PLAN INFORMATION

#### **GENERAL**

The purpose of the attached documents is to provide information necessary to plan for, apply for and submit the necessary information to obtain approval for an Amended Site Plan in the City of West Jordan.

By providing the required information it will enable the timely completion of your project. Not providing the necessary information will require the return of the application and submitted documents to you and will unnecessarily delay progress and final approval.

This document is meant to act as a guide for individual projects and may require additional information be provided, depending upon the nature of the project.

#### **CONTENTS**

The following documents are provided to help you through the process, from application to approval.

City of West Jordan Application Property Owner Affidavit Amended Site Plan Process Amended Site Plan Checklist

#### WHAT IS A COMPLETE APPLICATION

A complete application will include all of the documents listed above, including items listed in the checklists. Partial submittals will not be accepted.

#### SUBMITTAL MEETING

A submittal meeting is *required* to allow staff to check your application for completeness. Please contact the Planning office at 801 569-5060 to schedule your submittal meeting.

#### **GETTING HELP**

Once your application has been submitted, a Project Team will be assigned to the project. The Planner is your point of contact and you can contact them for project status inquires or to contact the Project Team for information about their various specialties.



## **Development Application**

8000 South Redwood Road, 2<sup>nd</sup> Floor, South 801-569-5060

WJPlanning@westjordan.utah.gov

Property:				
Sidwell/Parcel #:	Acreage:	Lots:	Zoning:	
Project Name:			_	
Project Location:			_	
Type of Application:	□ Concept	□ Preliminary	☐ Final	
☐ Agreement ☐ Conditional Use Permit ☐ Design Review Committee ☐ Development Plan ☐ General Land Use Amendme		Amended □ Z on Major □ F	<ul><li>☐ Temporary Use Permit</li><li>☐ Zone Change</li><li>☐ Planned Community</li></ul>	
Applicant:		Company:		
Address:				
City:		State:	Zip:	
Phone:				
Email:				
Consultant:				
Address:				
			Zip:	
Phone:		Cell:		
Email:				
** Property Owner(s):				
(1) Name:				
Address:				
			Zip:	
Phone:		Cell:		
Email:				
(2) Name:				
Address:				
City:		State:	Zip:	
Phone:		Cell:		
Email:				

\*\* Applicant must identify as a "Property Owner", all holders of any legal title to the Property; if necessary, attach additional page(s) to this Application to identify additional Property Owners.

By signing below, the Applicant hereby represents, and affirms the following:

#### 1. Definitions.

- a. "Application": Application includes (i) this Application form, (ii) the Property Owner(s) Affidavit, and (iii) all information (whether written or verbal) provided by the Applicant, by the Consultant, by the Property Owner(s), or by any other person or entity engaged by the Applicant or the Property Owner(s) in furtherance of the Application ("Supporting Parties").
- b. "Property Owner(s)": Holders of any legal title to the Property.
- Information is True and Correct. The information described on this Application form and contained in the Property Owner's
  Affidavit, is true and correct. The Applicant will use its best efforts to ensure all contents of the Application are accurate and
  current.
- 3. <u>Property Owner(s) Consent to this Application</u>. All Property Owner(s) (i) have reviewed and expressly approve of the contents of this Application form, and (ii) consent to the Applicant pursuing approval of the Application.
- 4. <u>City's Right to Contact Property Owner(s)</u>. The City has the right to contact the Property Owner(s) directly, in writing or through other means, to verify any information contained in the Application.
- 5. <u>Contact with Property Owner(s)</u> is not Interference. Contact by the City as outlined in "4." above is and shall not be considered interference with the Applicant's business dealings.
- 6. Incorrect or Untrue Information Voids this Application. If any information provided as part of the Application is untrue or incorrect, at the option of the City (i) this Application shall be considered void *ab initio*, (ii) the City shall have no obligation to process the Application, (iii) any commitments allegedly made by the City or flowing from the Application, including also the alleged grant of any development rights by the City, shall be considered void *ab initio* and unenforceable, and (iv) the Applicant shall indemnify and hold the City harmless for any costs or claims resulting from false or incorrect representations (A) of or from the Applicant, and/or (B) of or from the Property Owner(s), the Consultant, and/or the Supporting Parties of which the Applicant has or had knowledge.
- 7. Notice to the City of a Changed Event. The Applicant has an affirmative duty to (i) notify the City in writing of a Changed Event, (ii) fully inform the City of the nature and details of a Changed Event, and (iii) provide such notice and information within two (2) business days of a Changed Event. A Changed Event is any action or occurrence, (i) that occurs subsequent to the date the Applicant executes this Application form, and (ii) which alters the legal relationship of the Applicant and the Property Owner(s) to an extent that either (A) the Applicant no longer has authorization from the Property Owner(s) to pursue the Application, or (B) results in any representation or information in this Application or the Property Owner's Affidavit to be, in whole or in part, untrue, incorrect, or inaccurate.

Applicant Signature:	Date:	
-	(Completed Notary Block for Applicant's signature must be attached to this Application form)	

#### **Privacy Notice:**

The personal data being collected is included in a public record as defined under Utah Code 63G-2-301 and may be available to the public as provided in Utah Code 63G-2-201. Prior to making a record available to the public, the City of West Jordan redacts private, protected, or controlled information as defined in Utah Code 63G-2-302, 304, and 305. For more information, please contact the City's Data Privacy Officer, Tangee Sloan – tangee.sloan@westjordan.utah.gov

Page 2 of 3 Revised 10-2025

### Notary Block for Applicant's Signature

STATE OF UTAH	)			
	: SS.			
County of Salt Lake	)			
On this	day of	, 20	, before the undersi	gned notary public in and for
the said state, persona	lly appeared			[name of person], known
or identified to me to be	e a/the			[position of responsibility]
of			[na	ame of company or entity], and
the person who execut same.	ed the foregoing ins	trument and acknowl	edged to me that said	company or entity executed the
IN WITNESS \	WHEREOF, I have h	ereunto set my hand	and seal the day and	year first above written.
		Notar	y Public for Utah	

Page 3 of 3 Revised 10-2020

### **PROPERTY OWNER AFFIDAVIT**

STATE OF }		
STATE OF } ss COUNTY OF }		
I,follows:	, being duly sworn, by my s	signature represent, affirm and attest as
Services Application (* any other Property O provided by the Applic	cation includes (i) the document 'Application Form'), (ii) this Prowner Affidavit(s), and (iii) all cant, by the Consultant, by the I he Applicant or the Property O	t entitled West Jordan City Development coperty Owner Affidavit ("Affidavit") and information (whether written or verball Property Owner(s), or by any other persor wner(s) in furtherance of the Application
b. "Applicant": The indi	vidual and/or entity named as su	ach on the Application Form.
c. "Property Owner": Ho	older of any legal title to the Pro	perty.
d. "Property": That parce	l identified as sidwell/parcel# _	
located at approximate	ly(approximate s	treet address)
2. <u>Property Owner</u> . To the best of my	knowledge (check one):	
☐ I am the SOLE Pro		
☐ There is/are (an) ad	-or- lditional Property Owner(s), wh	ose name(s) follow:
(includ	e additional pages with names if n	ecessary)
3. Reviewed the Application. I have:	reviewed the Application Form	dated
submitted to the West Jordan City	•	on the signature line of the Application form)
for the project entitled, "		
	(name of Project as appears on t	
which Application requests approv	al by the City of West Jordan fo	or the following:
☐ Agreement	☐ Site Plan	☐ Temporary Use Permit
☐ Conditional Use Permit	☐ Site Plan Amended	☐ Zone Change
☐ Design Review Committee	☐ Subdivision Major	☐ Planned Community
☐ Development Plan	☐ Subdivision Minor	
☐ General Land Use Amendment	☐ Subdivision Amended	
☐ Other:		

- 4. <u>Information is True and Correct</u>. The information contained in this Affidavit and the Application form, is true and correct. The Property Owner will use its best effort to ensure all contents of this Affidavit and the Application form are accurate and current.
- 5. <u>Property Owner's Consent to the Application</u>. The Property Owner (i) has reviewed and expressly approves the contents of the Application Form, and (ii) consents to the Applicant pursuing approval of the Application.
- 6. <u>City's Right to Contact Property Owner</u>. The City has the right and may contact the Property Owner directly, in writing or through other means, to verify any information contained in the Application.
- 7. <u>Contact with Property Owner is not Interference</u>. Contact by the City as outlined in "6." above is and shall not be considered interference with the Property Owner's business dealings with the Applicant.
- 8. <u>Incorrect or Untrue Information Voids the Application</u>. If any information provided as part of the Application or this Affidavit is untrue or incorrect, at the option of the City (i) the Application shall be considered void *ab initio*, (ii) the City shall have no obligation to process the Application, (iii) any commitments allegedly made by the City or flowing from the Application, including also the alleged grant of any development rights by the City, shall be considered void *ab initio* and unenforceable, and (iv) the Property Owner shall indemnify and hold the City harmless for any costs or claims from the Property Owner resulting from false or incorrect representations (A) of or from the Property Owner, and/or (B) resulting from the Application being voided.
- 8. Notice to the City of a Changed Event. The Property Owner has an affirmative duty to (i) notify the City in writing of a Changed Event, (ii) fully inform the City of the nature and details of a Changed Event, and (iii) provide such notice and information within two (2) business days of a Changed Event. A Changed Event is any action or occurrence, (i) that occurs subsequent to the date the Applicant executed the Application Form, and (ii) which alters the legal relationship of the Applicant and the Property Owner to an extent that either (A) the Applicant no longer has authorization from the Property Owner to pursue the Application in whole or in part, or (B) results in any representation or information of which the Property Owner is aware or becomes aware in the Application or this Affidavit to be, in whole or in part, untrue, incorrect, or inaccurate.

My signature below attests that I consent to the statements and information provided in the Application and attached plans and exhibits for the requested process(s) as checked above, and that all information presented by me is true and correct to the best of my knowledge.

(Property Owner Signature)	(Printed Name)		
Subscribed and sworn to me this day of	f, 20		
	(Notary) Residing in	,	
My commission expires:	(County)	(State)	

#### Privacy Notice:

The personal data being collected is included in a public record as defined under Utah Code 63G-2-301 and may be available to the public as provided in Utah Code 63G-2-201. Prior to making a record available to the public, the City of West Jordan redacts private, protected, or controlled information as defined in Utah Code 63G-2-302, 304, and 305. For more information, please contact the City's Data Privacy Officer, Tangee Sloan – tangee.sloan@westjordan.utah.gov



### AMENDED SITE PLAN PROCESS

#### **GENERAL**

The purpose of the site plan process is to obtain Planning approval. The site plan, construction drawings and procedures must comply with the provisions of the City of West Jordan Municipal Code and The Design and Construction Standards. No regulatory permits will be issued, no clearing, grubbing, grading, drainage work, parking lot construction or other site improvements will be allowed until final approval and proper permits are obtained. Processing times will vary based upon availability of city staff time and the completeness of the applicant's submitted plans. Checklists for a site plan are attached and are available on the City's website www.westjordan.utah.gov

#### APPLICANT'S INITIAL CONTACT WITH CITY STAFF

Your initial contact with city staff will take place with the Planning Department either by telephone or by meeting at the Community Development Department counter. If you are not familiar with City processes and requirements city staff can briefly discuss the process and requirements with you.

#### PRE-APPLICATION MEETING

The applicant can contact the community development department staff to schedule a pre-application meeting. Pre-application meetings are held weekly.

The purposes of the pre-application conference are:

- 1. To better facilitate the development process by establishing initial contacts between City staff and the applicant.
- 2. Provide an opportunity for the applicant to present the project to city staff and receive comments from them.
- 3. Provide an opportunity for the applicant to ask questions regarding city requirements to eliminate unnecessary delays to the proposed project

If the applicant is familiar with the city's processes and requirements, they may skip this step and go directly to preparation of the site plan.

#### APPLICATION

The amended site plan process can be initiated by submitting the application along, with items listed on the final site plan checklists. The application will not be accepted until a determination has been made that the application is complete.

#### **CITY REVIEW**

The first review will take approximately 4 weeks based upon the complexity of the project and number of projects in for review. Subsequent reviews will be completed in approximately 2 weeks. After staff have finished their review, the applicant will be contacted to pick up any redline comments

#### **STAFF ACTION**

City staff will notify the applicant that the site plan and construction drawings are approved.

#### **EXPIRATION OF APPROVAL**

An approved site plan is valid for two (2) years. The one-year requirement may be extended by the zoning administrator for up to an additional six (6) months period for good cause shown by the applicant as a written petition prior to the expiration of the original time period.

#### **CITY ATTORNEY REVIEW**

Documents that require the Mayors signature or recordation with Salt Lake County Recorders office will require review and approval from the City Attorney. All documents are to be original documents. The applicant is responsible for payment of any recordation fees.

#### LAND DISTURBANCE PERMIT

The applicant or his/her contractor is to obtain a land disturbance permit prior to the beginning of any construction activity on-site. The requirements for obtaining this permit is specified in the City of West Jordan Municipal Code.

#### PRECONSTRUCTION MEETING

After all code requirements are met, the community development department will schedule a preconstruction meeting with the applicant, his contractor and city staff. During the meeting a set of approved construction drawings will be given to the applicant, which must be on site at all times during the construction of the project. A land disturbance permit will be granted, and the Building Permit Requirements Form will be signed.

#### **BUILDING PERMIT**

A building permit may be issued after the preconstruction meeting has been held, erosion control measures have been installed, inspected and approved, applicable impact fees paid, and fire department requirements have been met.

#### CERTIFICATE OF OCCUPANCY

A permanent certificate of occupancy will be issued after all Building Division requirements of the City of West Jordan Municipal Code have been met.

#### TEMPORARY CERTIFICATE OF OCCUPANCY

A temporary certificate of occupancy, not to exceed 6 months, may be issued after all Building Division requirements of the City of West Jordan Municipal Code have been met

#### **WARRANTY**

After final inspections of the public improvements are completed, a 12-month warranty period begins. The applicant is required to meet all requirements specified in the City of West Jordan Municipal Code.

#### FINAL INSPECTION

After the 12-month warranty period, a final inspection of the improvements will take place in accordance with the City's City of West Jordan Municipal Code.

#### **DEVELOPMENT AGREEMENT (if applicable)**

The Development Agreement is a formal written agreement between the city and the applicant, which details the responsibilities of both parties. The responsibilities detailed in the agreement for the city are those that are provided for in the Municipal Code and are reiterated in the Agreement. In addition to the standard items the city agrees to provide, any project specific items the city agrees to do are outlined in the 'Special Provisions' section of the agreement. The agreement also details items the applicant will provide along with any special requirements, which are also outlined in the 'Special

Provisions' section. The Development Agreement is prepared by the city attorney's office, then distributed and reviewed by other city departments who provide input into the Agreement. The Agreement is then reviewed as part of the project by the Planning Commission and approved, rejected, or returned for changes. A Development Agreement for a project will require City Council approval.

#### REIMBURSEMENT AGREEMENT (if applicable)

If the applicant feels that certain facilities being constructed may be subject to reimbursement, the applicant shall prepare a letter addressed to the City Engineer, pay current reimbursement deposit, and application, detailing the reasons. Failure to do so will disqualify the applicant for any reimbursements. Facilities included in city master plans and impact fee studies may be subject to reimbursement dependant upon the findings of the City Engineer and Development Director who will respond in writing to the applicant. If the City Engineer and Development Director agree that such facilities may be subject to reimbursement, the City Attorney will prepare an Agreement. The Reimbursement Agreement requires City Council approval.

\*\*\*\*\*



# AMENDED SITE PLAN SUBMITTAL CHECKLIST

PROJECT			
A	APPLICA	NT	DATE
(	ZENED A	AI INFO	ORMATION
•	Your		
	Check	City	Description
	} <del>-</del>	Check	A1:4:
	<u> </u>		Application
			Owner Affidavit
			Electronic copy of all plans in PDF Format.
			Preconstruction Meeting Form
			Fees - Calculated and due after acceptance of application
			Title report prepared within 60 days
			Geotechnical Report
			Phase 1 Environmental Report
(	CODE A	NALYS	IS
	Your	City	Description
	Check	Check	1
			Specify building use and occupancy type(s) per International Building Code Chapter 3
			Specify type of construction per IBC Chapter 6
			Show actual building area and heights/stories, and maximum building area and heights/stories per IBC Table 5. When applicable detail height/story increases per
			IBC 504 and area increases per IBC 506 (these include frontage increase calculations and automatic fire sprinkler increase)
			If the Structure is an "unlimited area building", detail per IBC 507.
			Specify the "occupancy separation design being used, non-separated occupancies per IBC 508.3 or separated occupancies per IBC 508.4
			Show any automatic fire sprinkler requirements per IBC Section 903.2
A	MEND	ED SITI	E PLAN DRAWINGS
	Your	City	Description
	Check	Check	
į	Drawin	<del></del>	have separate sheets for each plan and submitted in the following order
į	Cover S		ware separate streets for each plan and swellmade in the following or ac-
		n Drawii	nge
			Workmanship – neat, legible and readable
			Scale – not smaller than 100 feet to the inch
			Project name and location in bold letter at the top of sheet
			Township, range and section  North arrow, top faces either north or west
		. –	I MOTHI ATTOW, TOP TACES CHIEF HOTHI OF WEST

Corner section tie



	,	
		A table, which shows:
		Item Area
	i ! !	Total gross acreage (acres)
		Street right of ways (sq.ft.)
		Building footprint (sq.ft.)
	i ! ! !	Total building floor area (sq.ft.)
	 	Landscaping (sq.ft.)
i ! !	i ! ! !	Landscaping (% of lot)
! ! !	! ! ! !	Required number of parking spaces
	i ! ! ! !	Actual number of parking spaces
		Number of bike parking stalls
	i ! !	Interior parking lot landscape (% and
		sqft)
ļ	ļ <u>.</u>	
<u> </u>		Boundary bearing and dimensions, tied to public survey monuments
		Acreage, property dimensions, project perimeter
		Legal description
		Existing and proposed roads, curb, gutter and sidewalk, park strip, street monuments
		and edge of asphalt
		Street names, numbers, widths, lengths, bearings and curve data.
		Existing and future Right-of Way Streetlight locations
		Fire hydrants locations
		Existing and proposed fences and walls. New fences and walls elevations and profiles
		Signage existing and proposed locations, types, size and profiles
		Vicinity Map – legible with major street names and highlighted subject property
		Legend showing all symbols, line types, hashing and abbreviations
		Date of drawing
		Applicant name and address
		Developer name and address
		Design firm name and address
		West Jordan revision blocks
		Adjoining property lots and parcels showing ownership name and tax ID numbers
		Stamped and signed by licensed designer and registered engineer
		Existing easements showing type of easement and recording information
		Proposed easements – sufficient ties are to be shown to locate the easement
		Subsurface drain – protective covenants and maintenance agreements
		Indicate ownership and maintenance responsibilities for detention and open space
	! ! ! !	areas.
		Existing and proposed fences
		Engineers Estimate for public improvements
		Easements are to be clearly labeled and identified with correct widths
		Any necessary agreements with adjacent property owners regarding storm drainage,
		irrigation or other matters
		Outside Agencies/Entities approvals with might be affected by the project
		Any other special notes or requirements



		Drainage Easement to be a minimum of 15 foot wide
		Revision block and date
		Screening and buffering
		Utah State Department of Transportation approval document if the site needs to gain
		access to a state road.
		Refuse Areas – collection are locations and enclosures
		Parking Plan – general parking, access and loading
		Off-site parking and loading areas (if permitted)
		Access points – vehicular and pedestrian access points for on and off-site, access to
		existing streets
		Lighting Plan for all interior areas and immediately adjoining streets with profile of
		fixture type
		Provide location of man-made features, irrigation, bridges, railroad tracks, buildings
		Adjacent Property Owners Names and addresses
		Phasing Information numbered with approximate timetable for development
		Americans with Disabilities Act (ADA) Accessibility Guidelines include a
		statement which indicates ADA requirements have been met.
		Geologic Hazards including fault lines, liquefaction potential
		Location of any overhead utilities. Indicate line size and voltage
		Overhead utilities must be buried. Show existing overhead utilities on this drawing
		and indicate how and where they will be buried.
Utility a	nd Drair	nage Plan
		Title block
		Scale at 1"= 60' or 1"= 100'
		"Call Before You Dig" symbol and telephone number
		North arrow, scale, and site plan underlay.
		Relationship of utilities to each other on plan view.
		Existing and proposed utilities – sewer, culinary water, secondary water, fire
		hydrants, storm drains, subsurface drains, gas lines, power lines, communications
		lines, cable television lines, and street lights.
		Water meter locations. A separate meter for irrigation connection to main is
		required for landscape area of 100 sq ft or more
		Streetlights are provided at ends of cul-de-sacs, all street intersections, entrance to any pedestrian pass-through.
J	J	Utility Easements – Location and dimensions. Provide a 20-foot easement for one utility, and a 25-foot easement for two utilities.
		All streets are named and existing and future right-of-way width to centerline is
_	_	shown.
		Existing and proposed hydrants.
		Show existing improvements in, and adjacent to, the project. Must clearly
_	_	distinguish "existing" and "to be constructed" improvements (Plan Sheets).
		Show water and sewer facilities and dimension from the centerline of the road or
_		property line with a mandatory 10-foot separation between culinary water and
		sewer facilities.
		Driveways, if known – sidewalk ramps locations
		Minimum fire flow required by the IFC for the proposed structures. Fire flow
_	- <del>-</del>	calculations at all hydrant locations.



		A note on the drawing from the design engineer verifying that the proposed
		improvements comply with the City's design and construction standards.
O 11	D:	
Overall		·
		Title block
		Project title
		North arrow and scale. (1"=100' max.)
		"Call Before You Dig" symbol and telephone number
		Revisions block
		Compliance Note indicating all facilities conform to the City's Design and
		Construction Standards and Master Storm Drain Plan.
		Show proposed and existing conditions for the property being developed and within
		100-feet of the project's boundary.
		Dashed lines and labels showing existing improvements, with elevations to show
		the project's conformity with the existing conditions.
		Show proposed contours (use solid lines) and spot elevations.
	<u> </u>	Topography - Contour lines at 2-foot intervals
		Slopes of 10-percent or greater are shown. (Hillside ordinance applies)
		Proposed contours for site, parking lot and landscaping are shown.
		Proposed sidewalks, sidewalk ramps curb and gutter with spot elevations.
		Elevations shown (top of curb, flowline and crownline) at limits of construction,
		P.C.'s, P.T.'s, and grade breaks.
		Percentage of grade and direction of flow is indicated.
		Pad and finished floor elevations for all new structures are shown.
		Finished floor elevation of all buildings adjacent to this property and spot grades on
	ļ	adjacent properties to show elevational relationships.
		All existing and "to be constructed" block walls are shown.
		Proposed and existing drainage easements, with dimensions, elevations and typical
		sections
		Shows existing or "to be dedicated" rights-of-way and easements.
		"Sight visibility easements" with dimensions
		Flood Plain and Wetland Information - Flood plain or wetland boundary locations.
		Drainage calculations – Hydraulic and hydrologic storm drainage calculations using
		a 10-year storm and a 100-year storm event with 0.2 cubic foot per second/acre
		discharge in 24 hours stamped by a registered professional engineer. Engineer is to
		use rational method and provide output from these calculations. (Separate report)
		Storm Water Facilities - Size, slope, location, and description of existing and "to be
		constructed" storm drain facilities line elevations.  Direction of storm water flows, catch basins, manholes, combination boxes, invert
_	_	and rim elevations; inlets, outlets, waterways, culverts, detention basins, orifice
		plate sizes, required riprap, required double inlet/dissipater, outlets to off-site
		facilities, and off-site drainage facilities.
		Proposed roof drains, include size, type slope, and flow
		Existing culverts, streams, channels, and detention ponds with proposed changes
<b>_</b>		include typical section, erosion protection, permanent structures, freeboard, and
		access.
		access.



		An overland release for storm water is provided for all sag points such that no
		structures would be flooded if the underground drain system were blocked or the
		capacity exceeded.
		Detention areas and details are shown. This is to include spillways at a 3:1
		maximum side slopes.
		Subdrain system – Required if project fronts canal property, the geotechnical report
		indicates groundwater within the footing zone, or the area is known for a high
		groundwater table. Subsurface drains must lower groundwater levels to 3-feet
		below all basement levels. (To be maintained by Homeowner's Association)
		Existing irrigation ditches have been piped or abandoned as approved by the ditch
	 	master.
		Existing irrigation tailwater ditches or sheet flow is properly conveyed through the
		property.
		Existing waterways including irrigation ditches, significant vegetation, natural
		drainage courses, i.e. creek, washes
		Erosion protection is provided for all cut and fill slopes.
		Energy dissipaters are provided on the outfall of drain lines discharging into creeks
		and earthen channels capable of slowing velocities to 3-feet per second
		Oil water separator system in place before it discharges into the city system.
		Approval from County Flood Control – If the site is adjacent to a waterway needing
		maintenance by a government agency.
		Approval from the Army Corps of Engineers – If the site is within or adjacent to any known wetlands.
		State stream alteration Permit
Overall	!	
		Title block
		Project title
		·
		North arrow and scale (17=100 max)
		North arrow and scale. (1"=100' max.)  "Call Before You Dig" symbol and telephone number are shown
		"Call Before You Dig" symbol and telephone number are shown
		"Call Before You Dig" symbol and telephone number are shown Revisions block
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards.
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary.
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary.
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100-
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions.
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary.  Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions.  Show proposed contours (use solid lines) and spot elevations
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions. Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100-feet of the project's boundary.  Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions.  Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals Slopes of 10-percent or greater are shown. (Hillside ordinance applies) Proposed contours for site, parking lot and landscaping are shown. Proposed sidewalks and sidewalk ramps with spot elevations are provided as
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100- feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions. Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals Slopes of 10-percent or greater are shown. (Hillside ordinance applies) Proposed contours for site, parking lot and landscaping are shown. Proposed sidewalks and sidewalk ramps with spot elevations are provided as required.
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100-feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions. Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals Slopes of 10-percent or greater are shown. (Hillside ordinance applies) Proposed contours for site, parking lot and landscaping are shown. Proposed sidewalks and sidewalk ramps with spot elevations are provided as required. Proposed curb and gutter with spot elevations
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100-feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions. Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals Slopes of 10-percent or greater are shown. (Hillside ordinance applies) Proposed contours for site, parking lot and landscaping are shown. Proposed sidewalks and sidewalk ramps with spot elevations are provided as required. Proposed curb and gutter with spot elevations Elevations shown (top of curb, flowline and crownline) at limits of construction,
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100-feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions. Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals Slopes of 10-percent or greater are shown. (Hillside ordinance applies) Proposed contours for site, parking lot and landscaping are shown. Proposed sidewalks and sidewalk ramps with spot elevations are provided as required. Proposed curb and gutter with spot elevations Elevations shown (top of curb, flowline and crownline) at limits of construction, P.C.'s, P.T.'s, and grade breaks.
		"Call Before You Dig" symbol and telephone number are shown Revisions block Compliance note indicating all facilities conform to the City's Design and Construction Standards. Proposed and existing conditions for the property being developed and within 100-feet of the project's boundary. Dashed lines and labels showing existing improvements, with elevations noted to show the project's conformity with the existing conditions. Show proposed contours (use solid lines) and spot elevations Topography - Contour lines at 2-foot intervals Slopes of 10-percent or greater are shown. (Hillside ordinance applies) Proposed contours for site, parking lot and landscaping are shown. Proposed sidewalks and sidewalk ramps with spot elevations are provided as required. Proposed curb and gutter with spot elevations Elevations shown (top of curb, flowline and crownline) at limits of construction,



		Finished floor elevation of all buildings adjacent to this property and spot grades on
		adjacent properties to show elevational relationships.
		All existing and "to be constructed" block walls are shown.
		Proposed and existing drainage easements, with dimensions, elevations and typical
		sections as needed.
		Soils report required for all public roadways
SWPPP		
		The project fulfills all the requirements of the Land Disturbance. See Land
		Disturbance Permit requirements at www.westjordan.utah.gov.
Public S	treet De	sign Plan View
		Scale – 1" = 20' or 1" = 40'
		Street Monuments
		Street name and number
		Right of way width.
		Design benchmark.
		Property lines. Locations of easements (existing and proposed)
		Center line with stationing. Please include any horizontal curve information.
		Horizontal sight distance if road intersection is not 90 degrees or if road intersects a
		horizontal curve.
		Existing edge of asphalt spot elevations as well as centerline spot elevations. 50 foot
		intervals.
		Existing curb, gutter, sidewalk and drive approaches. Provide spot elevations for
		both sides of the street.
		Profile spot elevation designations at curb return.
		Existing and proposed utilities.
		Existing and proposed street lights.
_	_	Extend limits of drawing 100' before and after proposed improvements. Include
		driveways and any road intersection.  Proposed storm drain system. Include pipe length, material, and size. Include
J	J	manhole size, and rim elevation. Include any grate elevations.
		Proposed sanitary sewer system. Include pipe length, material, and size. Include
J	_	manhole size and rim elevation.
		Proposed culinary water system. Include length, size and class of pipe as well as
_	_	valves, tees, crosses, fire hydrants and service laterals.
		Proposed secondary water system. Include length, size, and class of pipe as well as
		valves, tees, crosses, and service laterals.
		Existing and proposed fire hydrants. Maximum spacing 500 feet.
Public S	treet De	sign Profile View
		Scale (vertical scale 1/10 of horizontal scale).
		Elevation at left and right side of sheet.
		Existing ground profile at proposed profile grade line (center line or top back of
		curb.
		Proposed profile grade line (center line or top back of curb). Include grade
		information, slope, VPI, VPC, CPT etc. Include elevations at points of interest.
		Vertical sight distance. Safe stopping distance when required.
		All necessary vertical curve information including length of curve, AKA Value.
		Extend profile line 100 feet each way showing existing improvements



		Profiles of sanitary sewer system. Include length, size, type and slope of pipe.
<u></u>	ļ 	Include manhole size, rim and flow line elevations.
		Profiles of storm drain system. Include length, size, type and lope of pipe. Include
		hydraulic grade line and contributing system flow. Include all rim gate and low line
		elevations.
		Profiles of culinary and or secondary water system if line size is 12 inches or
		greater. Include length, size, type and slope of pipe. Include air vacuum station at
		all high points.
		Show conflicts between utilities. Include distance between utilities pipe edge to
		pipe edge.
		Engineering Department review and comments on drawings.
		Applicant revision of proposed drawings and resubmission to Engineering
		Department.
		Engineering Department approval of public street plan.
Traffic	Signs and	d Striping Plan
		Scale
		Overall site layout complete with lot and easements lines.
		Street layout including curb, gutter, and sidewalk.
		Stop bars as required by MUTCD
		Cross walks.
		Painted messages or arrows.
		Stop signs per most current edition of MUTCD.
		Street signs per most current edition of MUTCD.
		Any additional signs as warranted by the most current edition of MUTCD.
		Traffic striping or tape for all lanes.
		Proposed signal loops if required.
		Proposed signal light if required.
Traffic	Impact A	······································
Trairie		Engineering will determine if a Traffic Impact Analysis is required and provide the
	_	to the applicant the Guidelines for the Traffic Impact Study
Site De	molition	·
		Title block
		Project title
		North arrow
		Scale of drawing
		"Call Before You Dig" symbol and telephone number are shown (plan sheets).
		Revisions block is shown.
		Structures and other facilities to be removed are shown.
<b>}</b>	.4	
	aping Pla	·
	u	Landscape Plans prepared by a "landscape designer" as defined by the City of West Jordan City Municipal Code
		Designation of "landscape zones" (grouping plants with similar water needs)
		The location of all proposed plants and a plant schedule specifying the quantity,
-	-	size, common name botanical name, and spacing of all proposed plants
		Existing and proposed landscape grading of the site indicating contours at two foot
-	_	(2') intervals. Proposed berm shall be indicated using one foot (1') contour intervals
	ļ <u> </u>	Location of existing buildings and structures
	_	· EXPENSION OF EXPENSE PRINCIPES AND SHUCKING



		The location, size, and common names of all existing mature trees and significant		
		vegetation, on the site and within adjacent rights of way, indicating plants that will		
		be retained and those that will be removed		
		The location and dimensions of all existing and proposed buildings and structures,		
		property lines, easements, parking lots and drives, streets and rights-of-way, signs,		
		sidewalks, dumpster enclosures, fences.		
		The location of all meters, lighting, fire hydrants and utility boxes in the right-of-		
		way or on the property		
		Designation of "landscape zones" (grouping plants with similar water needs)		
Irrigation Plan				
		Irrigation Plans prepared by an "irrigation designer" as defined by the West Jordan		
		City Municipal Code		
		Location of connection to water supply		
		Size of connection		
		Pipe type		
		Static water pressure(psi)		
		Backflow prevention device type and location		
		Water meter size and location		
		Layout of irrigation system and a legend summarizing the type and size of all major		
		system components and irrigation heads, including manufacturer's name and model		
		numbers		
		Flow rate in gallons per minute and design operating pressure in psi for each valve		
		Precipitation rate in inches per hour for each irrigation zone		
		Indicate either a pressure regulation device or pressure regulated spray heads		
		Show location of rain shutoff device and how connected to controller (wire or		
		wireless)		
Landscape Worksheet of Summary Data				
		Completed Landscape Area and Water Conserving Landscape Calculations		
		Worksheet available at www.westjordan.utah.gov		
		Completed Water Allowance Worksheet available at www.westjordan.utah.gov		
		*		
Architectural Renderings Building Elevations				
		Accurate front, rear and side elevations of all buildings and accessory structures,		
		drawn to scale and showing dimensions		
		Specification of all exterior surfacing materials and colors shown on a color		
		enhanced PDF. Show shingle color and type, exterior building color type.		
		Outdoor lighting, furnishings and architectural accents specification		
		Building elevations, footprint, occupancy, number of stories, construction type		
		Dumpsters, utility boxes, fences, walls		
		Proposed signage location and dimension of all signage proposed to be attached to		
		the building or structure.		
Adjacent Property Owners Agreements				
		Adjacent property owners' agreements regarding storm drainage, irrigation or other		
		matters.		
Overlay Zones				
		Hillside District Overlay Zone – If the project is within the Hillside District Overlay		
1		Zone see requirements at www westigrdan utah gov		



		Well Protection Overlay Zone – If the project is within the Well Protection Zone see		
	i   	requirements at www.westjordan.utah.gov		
		Airport Overlay Zone – If the project is within the Airport Zone see requirements at		
		www.westjordan.utah.gov		
Building Information				
		Building Information – general building footprint, number of stories, and type of		
		construction.		
		Location and elevation of all existing/proposed buildings on the site, showing all		
		sides of each structure. Inclusive of the dumpsters, garages, all accessory structures		
		and sheds.		